

The Atom and Nuclear Engineering

CZECH/2404

Tunnel effect	275
Speed of thermonuclear reactions	275
Hydrogen bomb	276
Electric discharge in gas	278
Effects of discharge	279
Accelerators as possible boosters of thermonuclear re- actions	279
Hydrogen [electric] power plants	280

AVAILABLE: Library of Congress

Card 12/12

TM/ec  
10-12-59

HAVLIK, J.

The use of radioisotopes in industry.

P. 301, (Strojoelektrotechnicky Casopis) Vol. 3, no. 5, 1957, Praha, Czechoslovakia

SO: Monthly Index of East European Accessions (EEAI) Vol. 6, No. 11 November 1957

HAVELKA, J.

"Accumulation hydroelectric-power plants in the electrification system."

ENERGETIKA, Praha, Czechoslovakia, Vol. 9, no. 3, March 1959

Monthly List of East European Accessions Index (EEAI), Library of Congress,  
Vol. 8, No. 8, August 1959

Unclassified

HAVELKA, Jan, inz., dr.

Selection of the most economical system of power transmission.  
Energetika Cz 11 no.1:8-11 Ja '61.

HAVEIKA, J., inz.; KLEMENT, C.

Static tables of steel pipes. Strojrenstvi 15 no.1:Suppl:  
Tabulky pro konstruktery 15 no.1:1-4 Ja '65.

HAVELKA, Jan. inz., dr.

Electromechanical strength of disk-shaped suspension insulators.  
Energetika Cz 12 no.9:449-454 S '62.

1. Energovod, n.p., Praha.

PROCHAZKA, J.; SIMKOVA, V.; HAVELKA, J.; HEJZLAR, M.; VIKLICKY, J.; KARGEROVA, A.;  
KUBIKOVA, M.

On the problem of the penetration of the placenta by chloramphenicol. Preliminary report. Cesk. pediat. 19 no.4:311-314 Ap'64.

~~1.5. Laborator~~ pro vyzkum patologie, terapie a prevence infekc-nich nemoci fakulty detskeho lekarstvi KU v Praze (vedouci: prof.dr. J.Prochazka, DrSc.); Vojensky ustav hygieny, epidemiologie a mikrobiologie v Praze (prednosta: MUDr.M.Hejzlar) a Patologickoanatomicke oddeleni nemocnice na Bulovce, (vedouci: doc.dr. J.Viklicky).

\*

SCHARN, Bohdan, 'naz.; PALAC, Miroslav, 'naz.; NYVALKA, Jaroslav, 'naz.

Some metallographic ... Green Ky Mountains. Sber  
VSB Ostrava 10 no 1/2:159-165 '64.

1. Submitted December 27, 1963.



А.А. ИВАНОВ, Ярослав, зав. сс.

Regional declaration of the State Inv. has. Form VSB (1964)  
10 no. 1/2:243-247 '64.

1. Submitted January 15, 1964.

HAVELKA, Jaroslav, inz.

Czechoslovak highways from the viewpoint of international  
transportation. Siln doprava 11 no.10:4-5 S '63.

HAVELKA, Jaroslav, inz.

On the occurrence of regional metamorphosis on the basis of a study of macrotextures in sulfidic mineralization of pyrites in the Zlate Hory-Zapad area. Sbor VSB Ostrava 9 no.4:531-548 '63.

NEMLKA, Jaroslav, inz., 1921, Miroslav, inz., 1921, Hrab, inz., 1921.

Remarks on the metallogeny of the Jeseníky ore deposit area.  
Geol průzkum 6 no. 7:210 JI '64.

1. Higher School of Mining, Ostrava.

HAVELKA, K.

The reinforced - concrete water tower of the city of Trnava.

P. 5 (Slovenska akademie vied. Ustav stavebnictva a architektury. PRACE, 1954  
(Published 1956) Bratislava. Czechoslovakia)

Monthly Index of East European Accessions (EEAI) LC. Vol. 7, no. 2,  
February 1958

HAVELKA, K.

Present-day situation and prospects of the reinforced-concrete theory in our country; results of the conference of specialists in concrete construction.

p. 69  
Vol. 3, no. 2, 1955  
STAVEBNICKY CASOPIS  
Bratislava

SO: Monthly List of East European Accessions (EEAL), LC, Vol. 5, no. 3  
March 1956

HAVETKA, KAROL

Predpate kruhove zakladove dosky premenneho prierezu. Bratislava, Vydavatelstvo Slovenskej akademie vied, 1956. 229 p. (Pre-stressed circular foundation slabs with variable cross sections. English, French, German, and Russian summaries. diags., tables (8 fold. in pocket)

IU

Not in DLC

SO: Monthly List of East European Accessions (EEAL) IC, Vol. 6, No. 8, Aug 1957. U<sub>n</sub>cl.

Large synchronous motor to power piston compressors. pt.2.plt.  
NOVA TECHNIKA. (Rada vedeckych technickych spolecnosti pri  
Ceskoslovenske akademii ved) Praha. Vol. 1, no. 6, June 1956.

SOURCE: East European Acquisitions List, (EEAL), Library of Congress  
Vol. 5, no. 12, December 1956



HAVELKA, K.

HAVELKA, K. Solving the problem of rigid flat constructions by means of  
linear reduction. p. 75, Vol 4, no 2, 1956 STAVEBNICKY CASOPIS  
Bratislava, Czechoslovakia

SOURCE: EAST EUROPEAN ACCESSIONS LIST (EEAL) VOL 6 NO 4 APRIL 1957

HAVELKA, K.; ZARUBA, I.

Notes on the Fifth Congress of the International Association for Bridge and Structural Engineering in Lisbon. p. 201. (Stavebnicky Casopis, Vol. 4, No. 4, 1956, Praha, Czechoslovakia)

SO: Monthly List of East European Accessions (EEAL) LC, Vol. 6, No. 8, Aug 1957. Uncl.

HAVELKA, K.

Large synchronous motor for the drive of a piston type compressor.

p. 16 (CZECHOSLOVAK HEAVY INDUSTRY) No. 7, 1956,  
Prague, Czechoslovakia

SO: Monthly Index of East European Accessions (EEAI) LC, Vol. 7, No. 3,  
March 1958

NAVODA, I.; VALICHA, J.

Air-cooled turboalternators. p. 25. (CZECHOSLOVAK HEAVY INDUSTRY, No. 10, 1956, Prague, Czechoslovakia)

SO: Monthly List of East European Accessions (EEAL) LC, Vol. 6, No. 12, Dec 1957. Uncl.

HAVELKA, K.

Professor Ladislav Zaruba's seventy years; a biographic sketch. p.9. (Stavebnicky Casopis. Bratislava. Vol. 5, no. 1, 1957.)

SO: Monthly List of East European Accessions (EEAL) LC. Vol. 6, no. 7, July 1957. Uncl.

HAVELKA, K.

Synchronous motors in the works of Professor Sumec. p. 448. (ELEKTROTECHNICKY  
OBZOR, Vol. 46, No. 8, Aug 1957, Praha, Czechoslovakia)

SO: Monthly List of East European Accessions (MEAL) LC, Vol. 6, No. 12, Dec1957. Uncl.

HAVELKA, K.; PYTLIK, F.

"30,000 kvAr. hydrogen-cooled synchronous compensators."

p. 22 (Czechoslovak Heavy Industry /Special issue/ 1958, Praha, Czechoslovakia)

Monthly Index of East European Accessions (EEAI) LC, Vol. 7, no. 9,  
September 1958

HAVELKA, K.; Vanicek, J.

"New air-cooled turboalternators."

ELEKTROTECHNIK, Praha, Czechoslovakia, Vol. 44, no. 5, May 1959

Monthly List of East European Accessions Index (EEAI), Library of Congress,  
Vol. 8, No. 8, August 1959

Unclassified



HAVELKA, Karol, prof., inz., dr., Dr.Sc.

Bridge plates of the optional shape and rigidity. Stav cas  
11 no.1/2:5-21 '63.

1. Clen korespondent Slovenskej akademie vied; Vysoka skola  
technicka, Bratislava.

HAVELKA, Karel

Conclusion of the 1st course in new engineering and economics.  
Poz stavby 11 no.3:171 '63.

1. Vedouci oddeleni vychovy kadru, Ministerstvo vystavby.

HAVELKA, Karol, prof., inz.dr.; TROKAI, Jozef, prof., inz. dr.; ZVARA, Jozef,  
doc., inz.

Induction of static quantity functions in calculation of  
bridge slabs. Inz stavby 11 no.10:363-373 0 '63.

1. Slovenska vysoka skola technicka, Bratislava, Katedra  
betonovych konstrukcii a mostov.

L 10466-66

ACC NR: AP6003734

SOURCE CODE: CZ/0017/65/054/002/0058/0065

AUTHOR: Havelka, Karel--Gavelka, K. (Engineer); Pytlik, Frantisek

ORG: V. I. Lenin Plants, n. p., Plzen (Zavody V. I. Lenina, n. p.)

TITLE: Skoda 235-mva, 200-mw turboalternator

SOURCE: Elektrotechnicky obzor, v. 54, no. 2, 1965, 58-65

TOPIC TAGS: electric rotating equipment,<sup>1</sup> electric engineering

ABSTRACT: The article deals with the largest turboalternator produced at the Plzen plant. The technical data are given and the electromagnetic calculation is discussed. Problems in the development of the design are reviewed, such as the use of hollow conductors in the stator and rotor windings, the distribution of condensate for the stator winding, leaf springs for suspension of the stator core, and the compressor wheel and rotor winding. Orig. art. has: 10 figures. [JPRS]

SUB CODE: 09 / SUBM DATE: 24Nov64

HW  
Card 1/1

UDC: 621.313.332-81  
2

HAVELKA, Miloslav, promovany ekonom

Socialist methods of improving the work organization in forestry. Les. cas. 9 no.9:769-786 S'63.

1. Ministerstvo zemedelstvi, lesniho a vodniho hospodarstvi, Praha.

HAVELKA, Miroslav, promovany ekonom

New wage system for drivers of forestry motor vehicles.  
Prace mzda 12 no.2:79-83 F'64.

1. Ministerstvo zemedelstvi, lesniho a vodniho hospodarstvi.

HAVELKA, Miroslav, inz.

Use of the punched card system in technical standardization  
of labor. Prace mzda 11 no.8:348-354 Ag '63.

1. Nova hut Klementa Gottwalda, n.p., Kuncice.

HAVELKA, Miroslav, inz.; VOJTEK, Bohumil, inz.

Some results of the examination of intraplant rail transportation within a metallurgic enterprise. Pod org 18 no. 1:14-17 Ja '64.

1. Nova hut Klementa Gottwalda, Ostrava-Kuncice.



HAVEKKA, M.

PROCESSES AND PROPERTIES INDEX

3994. TWO-YEAR PLAN AND FURTHER DEVELOPMENT OF OUR GAS-MANUFACTURING BRANCH. Havelka, M. (Paliva a Voda, 20 Dec. 1946, 26, 173).

The two-year plan (1947-48) involves an investment in the gas-manufacturing branch in Czechoslovakia of 400 million crowns taking into consideration the manufacture of 300 million c.b.m. in 1947 and 420 million c.b.m. in 1948. From the 400 million Kcs., 163 mill. Kcs. are to be spent on gas-piping, 58 mill. Kcs. on the equipment of furnaces, 52 mill. Kcs. on gasholders, 60 mill. Kcs. on gasometers, and the rest on other work.

ASH-SLA METALLURGICAL LITERATURE CLASSIFICATION

RIGHT BOMATE

HAVFLKA, M.

①  
Importance of the Gas Turbine with Special Reference to Metallurgical Applications. M. Havflka. (Hutnické Listy, 1953, 8, 2, 89-94). (In Czech). This is a lecture delivered at the Turbine Conference, Prague, July, 1952, in which an analysis of the economic utilization of blast-furnace gas is made. A steelworks gas balance is shown by a flow diagram. It is concluded that gas turbines operating on surplus blast-furnace gas could utilize economically 3 to 6 milliard cu. m. of gas from the Czechoslovak steel industry.—P. V.

HAVECKA, M.

Utilization of Waste Heat in the Metal Industry. M.  
Havecka. (Havnick, Prague). 1931. 4. (81. 188-171). (12  
pages). The sources of waste heat in the production of coke,  
in steelmaking, rolling, forging, and ironmaking are discussed  
and the actual and potential possibilities of utilizing this heat  
are considered. --P. 7.

H AVELKA, M.

Cyclones for Cleaning Blast-Furnace Gas. M. Havelka.  
(*Mitnick's List*, 1954, 9, (3), 131-132). [In ~~English~~ Czech].  
use of iron ores of small particle size and the attendant in-  
creased rate of reduction in the blast-furnace results in a high  
dust content in the flue gases which cannot be reduced suffi-  
ciently by conventional dust catchers. By inserting cyclones  
into the gas stream after the dust collectors most of this iron-  
rich dust can be recovered. The design of cyclones, and their  
efficiency and mode of operation are examined, and details of  
their use in Czechoslovak steelworks for blast-furnace gas  
cleaning are given. Results of works experiments, relating  
the dimensions of cyclones, gas velocity, pressure loss, and  
the nature and quantity of dust separated are discussed.

SO: East European Accessions List, Vol. 3, No. 9, September 1954, Lib. of Congress

H AVELKA, M.

Some Problems of Gas Economy in Czechoslovak Metallurgical Works. M. Havelka. (Problems and Perspectives of Czechoslovak Metallurgy and Foundry, 1958, 200-211). Annual consumption is given and various measures for better utilization are suggested.

01/16

HAVEŁKA, N.

Heating air for blast-furnace draft.

p. 384 (Hutník, Vol. 7, no. 11, Nov. 1957. Praha, Czechoslovakia)

Monthly Index of East European Accessions (EEAI) LC. Vol. 7 no. 2,  
February 1958

18

The Control of Blast-Furnace Blast Temperatures. M. Lavrenko. (Mukhnik Listy, 1957, 12, (8), 481-472). [In Russian]. Czechoslovak equipment for the automatic control of blast temperatures is described. Injection of cold air into the hot air arriving from the Cowper stoves may result in inadequate mixing, as the transit time of this air amounts to but a fraction of a second. In the present arrangement this is prevented by mixing the air within the Cowper stoves into which cold air is blown from six vertically displaced nozzles. The desired final temperature can be obtained within a few minutes, and is then maintained within  $\pm 5^\circ$  of the pre-set nominal value by electric servo mechanisms. The controllers, their mode of operation and installation are described, and details of works tests carried out at the Kladno Steelworks are given.—r. p.

HAVELKA, M.

A hundred years of regenerator heating of furnace blast.

p. 818 (Hutnicke Listy) Vol. 12, no. 9, Sept. 1957, Praha, Czechoslovakia

SO: MONTHLY INDEX OF EAST EUROPEAN ACCESSIONS (SEAI) LC, VOL. 7, NO. 1, JAN. 1958



HAVELKA, M.

TECHNOLOGY

Periodicals: HUTNICKE LISTY Vol. 13, no. 9, Sept. 1958.

HAVELKA, M. Problem of dust in metallurgic works. p. 778.

Monthly List of East European Accessions (EEAI) LC Vol. 8, No. 5,  
May 1959, Unclass.

HAVELKA, M.

Problems and rules in publishing Czechoslovak metallurgic literature. p. 60

HUTNIK. (Ministerstvo energetiky a Svaz rudnych dolu) Praha, Czechoslovakia  
Vol. 9, No. 2, Feb. 1959

Monthly List of East European Accessions (EEAI), LV, Vol. 5, No. 7, July 1959  
Uncl.

HAVELKA, Miloslav

"High temperature materials" by R.F.Hehemann and G.Mervin Ault.  
Reviewed by Miloslav Havelka. Hut listy 16 no.4:291-292 Ap '61.

HAVELKA, Miloslav, promovany ekonom

Application of socialist principles in remuneration of  
forestry workers. Les cas 10 no. 7:603-622 JI '64.

1. Ministry of Agriculture, Forestry and Water Resources  
Management, Prague.

HAVELKA, Miloslav

"Modern physical metallurgy" by R.E. Smallman. Reviewed by  
Miloslav Havelka. Hut listy 17 no.5:370 My '62.

HAVELKA, Miloslav, promovany ekonom

Standards of technical organization and the improvement of  
work organization in forestry. Prace mzda 13 no.3:108-112  
Mr '65.

1. Ministry of Agriculture, Forestry and Water Resources,  
Prague.

HAVELKA, O.

Salantiny and Pachola Peaks in the Rohoce area. p. 77. KRASY SLOVENSKA.  
Bratislava. Vol. 31, no. 1, 1954.

SOURCE: East European Accessions List. (EEAL) Library of Congress.  
Vol. 5, No. 8, August 1956.

HAVELKA, O.

Liptovske Hole Mountains in the last century. p. 286

KRASNY SLOVENSKA No. 8, Aug. 1955

CZECHOSLOVAKIA

SOURCE: EAST EUROPEAN ACCESSIONS LIST VOL. 5, no. 7, July 1956



BERAN, Milos; HAVELKA, Stanislav

Reduction reextraction of plutonium with uranium sulfate and  
aminosulfonate from 30 per cent tributylphosphate solution.  
Jaderna energie 9 no.5:158 My '63.

1. Ustav jaderneho vyzkumu, Ceskoslovenska akademie ved, Rez  
u Prahy.

EWI(m)/BDS--AFFTC/ASD--ES  
L 10779-63

ACCESSION NR: AP3003778

Z/9000/63/028/005/1603/1606

AUTHOR: Havelka, S.; Baran, M.

TITLE: Radiometric determination of plutonium in the organic phases of the Purex processes in the presence of a large excess of uranium

SOURCE: Collection of Czechoslovak chemical communications, v. 28, no. 6, 1963, 1603-1606

TOPIC TAGS: Purex process, Maeck method, analysis, plutonium, uranium, radiometric Pu determination, hydroxylamine, iron (II) sulfamate, thenoyltrifluoroacetone

ABSTRACT: The method of Maeck and associates for the radiometric determination of Pu in the organic phases of the Purex process in the presence of a large excess of U ( $1:10^6$ ) provides for the reextraction and reduction of Pu with hydroxylamine but does not yield quantitative results. An improved version of this method, in which hydroxylamine is replaced by iron (II) sulfamate, has been developed. Pu is separated from the organic phase (30% solution of tributyl phosphate in kerosene) by stripping and reduction with iron (II) sulfamate in

Card 1/2

L 10779-63

ACCESSION NR: AP3003778

the presence of 0.2 M  $\text{HNO}_3$  and 0.35 M  $\text{UO}_2(\text{NO}_3)_2$ , oxidation with a sodium nitrite solution, and extraction into a 0.5-M thenoyltrifluoroacetone solution in xylene. The method makes it possible to determine Pu in  $10^{-6}$  M solutions with an accuracy of  $\pm 3\%$ ; Orig. art. has: 1 figure.

ASSOCIATION: Institut fur Kernforschung, Tschechoslowakische Akademie des Wissenschaften, Rez bei Prag (Institute for Nuclear Research, Czechoslovak Academy of Sciences)

SUBMITTED: 06Sep63

DATE ACQ: 18Jul63

ENCL: 00

SUB CODE: NS, EL

NO REF SOV: 000

OTHER: 008

Card

2/2

CZECHOSLOVAKIA

BERAN, M; HAVELKA, S.

Institute of Nuclear Research of the Czechoslovak Academy  
of Sciences (Institut für Kernforschung, Tschechoslowakische  
Akademie der Wissenschaften), Rez bei Prague (for both)

Prague, Collection of Czechoslovak Chemical Communications, v. 28  
No 9, 1963, pp 2510-2512

"Reduction Reextraction of Plutonium with Uran (IV)-Sulfate  
and -Amidosulfonate."

HAVELKA, Stanislav

Antimony electrode for pH measurement. Chem listy 57 no.5:  
467-478 My '63.

1. Katedra analytické chemie, Vysoká škola chemicko-technologická, Praha.

ACCESSION NR: AP4035366

Z/0034/64/000/005/0379/0379

AUTHOR: Kirs, M. (Engineer, Candidate of sciences); Beran, M. (Graduate chemist);  
Calotka, R. (Graduate chemist); Havelka, S. (Engineer, Candidate of sciences)

TITLE: Method of extractive separation of uranium, plutonium and zirconium

SOURCE: Hutnicke listy, no. 5, 1964, 379

TOPIC TAGS: extractive separation, uranium, plutonium, zirconium, nitrate,  
nitric acid, masking agent, polyphenol, hydroxyl group, carbonyl group, sulfon  
group, oxalic acid

ABSTRACT: The invention relates to a method of extractive separation of uranium,  
plutonium and zirconium in the form of nitrates from aqueous solutions of nitric  
acid with organic solvents. To the aqueous solution of the nitrates of the  
separated elements and nitric acid are added, as masking agents, polyphenols  
containing at least two hydroxyl groups in positions 1,2 on the benzene ring or  
in positions 1,8 on the naphthalene structure, and at least one more hydroxyl,  
carbonyl or sulfon group in any other position. This yields a more effective  
masking of the zirconium, while the extraction of plutonium is not impaired.

Card 1/2

ACCESSION NR: AP4035366

With the use of the same concentrations of masking agents, the procedure according to the invention yields 3--10 times more effective separation of the above-mentioned elements than with the oxalic acid heretofore used.

ASSOCIATION: none

SUBMITTED: 23Mar63

DATE ACQ: 20May64

ENCL: 00

SUB CODE: GC

NO REF SOV: 000

OTHER: 000

Card 2/2

CZECHOSLOVAKIA

VOJTISEK, O.; HAVELKA, S.; VILIMEK, P.; Research Institute for Rheumatic Diseases (Vyzkumny Ustav Chorob Revmatickych), Prague, Director (Reditel) Prof Dr F. LENOCH.

"Inclusions in Leucocytes in Urine of Patients Suffering from Rheumatoid Arthritis."

Prague, Casopis Lekaru Ceskych, Vol 105, No 22, 3 Jun 66, pp 601 - 602

Abstract [Authors' English summary modified]: Leucocytes from the urine of patients suffering from rheumatoid arthritis contain granular inclusions closely resembling inclusions in leucocytes in the synovial fluid (so-called R.A. cells), in patients of all ages. As the leucocytes in urine come from the blood, the inclusions are identical with granules described in leucocytes of patients suffering from rheumatoid arthritis. 1 Figure, 5 Western, 1 Czech reference.



LENOCH, F. prof. dr., DrSc.; VITULOVA, V.; HAVELKA, S.; SUSTA, A.

Secondary gout in hematopoietic diseases. Cas. lek. cesk. 104  
no.14:387-391 9 Ap '65.

1. Vyzkumny ustav chorob revmatickych v Praze (reditel: prof. dr.  
F. Lench, DrSc.)

HAVELKA, Stanislav, MUDr.

Abdominal reflexes in children. Cesk. pediat. 10 no.6:  
458-461 July 55.

1. Z detskeho oddeleni OUNZ Decin predn. prim. MUDr. S. Ruzicka.  
(ABDOMEN, physiology  
reflex in child.)

HAVELKA, Stanislav, MUDr.

Notes on primitive infant reflexes. Cesk. neur. 20 no.1:  
39-43 Feb 57.

1. Detske odd. OUNZ Decin, prednosta prim. MUDr. S. Ruzicka.  
    (INFANT, physiol.  
        primitive reflexes (Cz))  
    (REFLEX, in inf. & child  
        primitive reflexes (Cz))

HAVELKA, S.

Motor nerve conduction in juvenile progressive polyarthrititis.  
Cas. lek.cesk. 103 no.20:543-545 15 My'64

1. Vyzkumny ustav chorob revmatickych v Praze; reditel: prof.  
dr. F.Lenoch.

HAVELKA, V.

"For Greater Activity of Our Foremen and Technical Cadres," p. 209.  
(Hutnicke Listy, Vol.6, No.5, May 1951, Brno.)

SO:Monthly List of East European Accessions, Vol.2, No.9, Library of Congress, September  
1953, Uncl.

PECHACEK, J.; HAVELKA, Z., inz.

Tuning the double-drum drives of belt conveyers. Strojirenstvi  
14 no.7:546-551 J1 '64.

1. Transporta, Research Worksite, Prague.

HAVELKA, Z., inz.

Stretching force of a long-distance belt conveyer under different operational conditions. Strojirenstvi 13 no.9:669-674 S '63.

1. Transporta, Vyzkumne pracoviste, Praha.

Z/031/62/010/004/002/002  
D006/D102

AUTHOR: Hávelka, Václav

TITLE: A productive forging technology of shaped rings of larger diameters

PERIODICAL: Strojírenská výroba, v. 10, no. 4, 1962, 204-205

TEXT: A new die for forging large-diameter, shaped rings is described, which already has made possible considerable material and time savings at the CKD Praha n.p. (CKD Prague, n.p.) in Prague. It is a new-type auxiliary tool permitting the combination of open-die and closed-die work. It is made of ordinary die-steel grade, heat-treated to the desired values, and pays for itself already at an annual production of 50 rings. The forging operation with this tool is smooth and without any downtimes so that 120-150 rings can be forged in one shift. Although the forging operation itself requires more time and work than the old technology, large savings are realized due to lower metal allowances and reduced machining costs. There are 4 figures and 1 table.

ASSOCIATION: ČKD Praha, n.p. (ČKD Prague, n.p.), Prague

Card 1/1



HAVEŁKA, Vaclav

Hot extrusion of aluminum bronzes. Stroj vyr 10 no.12:626-627 '62.

1. Ceskomoravska-Kolben-Danek Praha, n.p., zavod Sokolovo.

30590  
Z/014/61/000/011/001/001  
E192/E382

9.2181

AUTHOR: Havelka, Vladimír, Engineer

TITLE: Low-frequency piezo-electric resonators

PERIODICAL: Sdělovací technika, <sup>9</sup>no. 11, 1961, 409 - 414

TEXT: The equivalent circuit of piezo-electric resonators is discussed in some detail and the relevant parameters of the Czechoslovak-made quartz crystals for frequencies ranging from 1 to 200 kc/s are discussed. The constructional details of piezo-electric resonators are considered and the factors affecting their resonance frequencies, inductance, equivalent series resistance (Q-factor), temperature-frequency dependence and the trimming of the resonance frequencies are discussed. The resonators covering the frequency bandwidth from 1 to 5 kc/s are made of XYt <sub>-5°</sub>-cuts, which oscillate flexurally in

the longitudinal and transverse planes. The resonator for this range is prepared from two similar cuts, whose surfaces corresponding to the positive end of the axis X are metallized, while the non-metallized surfaces are fixed together. If an  
Card 1/5

30590  
Z/014/61/000/011/001/001  
E192/E382

Low-frequency ....

alternating voltage is applied to the electrodes. one of the cuts is elongated during the first half-period, while the other is shortened; during the second half-period the situation is reversed and flexural oscillations are thus produced. The construction of such a resonator is illustrated in Fig. 9. The temperature-frequency instability of this type of resonator is about 0.025%, its inductances could be as high as 50 000 H but its  $Q$  is as low as 5 000. For the range of 3 to 15 kc/s the same crystal cut is used but the resonators are in the form of bars of square cross-section. These oscillate flexurally and are furnished with four electrodes. The constructional details of the resonator are illustrated in Fig. 11. It is seen that it can be connected as a bipole as well as a three-terminal network. The inductances of such resonators are of the order of 15 000 to 40 000 H and their  $Q$  may be as high as 80 000. The temperature-frequency instability is very low at operating temperatures of about 40 °C. The range of 8 - 60 kc/s is covered by resonators which are in the form of rectangular slabs

Card 2/5

30590  
Z/014/61/000/011/001/001  
E192/E382

Low-frequency ....

or plates, which oscillate flexurally in the plane of the plate. The oscillations are excited by a suitable arrangement of the electrodes so that the exciting field has opposite polarities in each half of the slab (see Fig. 15). The resonators for this bandwidth can be made of the same cut as before but a more satisfactory temperature-frequency stability can be obtained by employing NT XY<sub>40</sub>, where the temperature-frequency coefficient is of the order of  $6 \times 10^{-6}/^{\circ}\text{C}$ . Even better results can be obtained with XYt1<sub>φ/θ</sub> but the manufacture of such devices is comparatively difficult. The resonators for 45 - 150 kc/s are in the form of longitudinally oscillating rectangular plates. The resonator can be fitted with two electrodes and connected as a bipole; alternatively, the electrodes can be split and the resonator connected as a quadripole. This type of resonator is illustrated in Fig. 16. The crystals employed in the resonators can be of the XYt<sub>-5°</sub>

or XYt<sub>+18.5°</sub> cut. The latter is particularly useful for  
Card 3/5

30590  
Z/014/61/000/011/001/001  
E192/E382

Low-frequency ....

wideband filters.

There are 21 figures and 4 Soviet-bloc references.

Fig. 9:





Fig. 11:




4  
connected to flat 5.

Card 4/5


Low-frequency ....

Fig. 13:



<sup>30590</sup>  
Z/014/61/000/011/001/001  
E192/E383

Fig. 16:



Card 5/5

HAVELKA, Z.

"Graphic solution of a girder with two supports." p. 430.

STROJIRENSTVI. (MINISTERSTVO TEZKEHO STROJIRENSTVI, MINISTERSTVO PRESNEHO  
STROJIRENSTVI A MINISTERSTVO AUTOMOBILOVEHO PRUMYSLU A ZEMEDELSKYCH STROJU.)  
Praha, Czechoslovakia, Vol. 9, no. 6, June 1959.

Monthly List of East European Accessions (EEAI), LC, Vol. 8, No. 9, September 1959.  
Uncl.

CZECHOSLOVAKIA/General Problems of Pathology - Tumors.  
Metabolism.

U.

Abs Jour : Ref Zhur - Biol., No 21, 1956, 98174

Author : Havelkova, Dagmar

Inst : Universitas Carolina

Title : Influence of 3,4-Benzpyrene on Succinic Dehydrogenase.

Orig Pub : Univ. carolina. Med., 1955, Suppl. No 1, 182-186

Abstract : 10 mg of benzpyrene (I) was introduced intraperitoneally in rats and after 24 hours the succinic dehydrogenase was determined in a liver homogenate. Essential distinctions, after introduction of I, as compared with the control group, were not noted. -- S.Ya. Karmarshteyn

Card 1/1



HAVELKOVA, E.; HAVELKA, I.

Devastation of wooden buildings by fungus. Cesk. hyg. 7 no.5:313-316  
Je '62.

1. OHES Liptovsky Mikulas.

(FUNGI) (HOUSING)

NECAS, O.; HAVELKOVA, Marie; SOUDEK, D.

Submicroscopic morphology of *Rhizopus nigricans*. *Folia microbiol.*  
8 no.5:290-292 '63.

1. Department of Biology, Medical Faculty, Purkyne University,  
Brno.

(RHIZOPUS) (CYTOLOGY) (MICROSCOPY, ELECTRON)

WENKE, M.; MUHLBACHOVA, E.; HAVELKOVA, N.

On the mechanism of action of protamine sulfate. Cesk. fysiол. 9  
no.1:99 Ja 60.

1. Farmakologicky ustav fak. vseob. lek. KU, Praha.  
(PROTAMINES pharmacol.)  
(SULFATES pharmacol.)

Havensz, György

14734\* (Hungarian.) Basic Materials of Core-Bonding Oils and the Technology of Oil-Bonded Cores. Magyaroktat. alapanyagai és az olaj- magkötés technológiája. György Havensz and János Szekeres, *Ontide*, v. 11, no. 7, July 1961, pp. 145-153.

Hungarian investigations by various methods, such as cold and hot tests, chemical examination, and physicochemical determinations. Types of bonding agents and their setting mechanism. Extensive experimental data.

2

of m

SARVAN, M.; HADZIC, J.; HAVERIC, Dz.; SPANIC, M.

Intestinal infection in infants and small children. Bul sc Youg  
7 no.3:68 Je '62.

1. Medicinski fakultet, Sarajevo.

\*

HAVESI, GY.

Revolutionary past of our technical intelligentsia. P. 3

Vol 4, no. 9, May 1955

SOURCE: Monthly list of East European Accessions, (EEAL), Lc, Vol. 5,  
No. 3, March, 1956

HAVIAR, GYOZO

Vasbeton faltartok. Budapest, Kozlekedesi Kiado, 1952.

SOURCE: EEAL Vol 5, No. 7, July 1956

HAVIAR, Gy.

HAVIAR, Gy.

"Bridge Structures of Stressed Reinforced Concrete", P. 346.  
(MELYEPITESTUDOMANYI SZERIE, Vol. 4, No. 7/8, July/Aug. 1954,  
Budapest, Hungary)

SO: Monthly List of East European Accessions, (EEAL), LC, Vol. 4,  
No. 1, Jan. 1955, Uncl.



✓ An Aluminum Bridge in Hungary (at Szabadkálás), ME  
— (*Light Metals*, 1956, 18, (205), 100-110).—Translated  
from a paper by E. Bölcskei and G. Havasi (*Acta Tech. Acad.  
Sci. Hungar.*, 1952, 6, 103; *M.A.*, 21, 82).—W. F. H.

HAVIAR, Gyozo, dr., okleveles mérnök, a muszaki tudományok doktora

Comments on Frigyes Thoma's study "Examples for the application  
of stressed metal constructions." Melyepitestud ezemle 14 no.11:  
524-525 N '64.

HAVIAR, G.

✓ 416. Haviar, G., Continuous glass eye beams (in Hungarian),  
Helyépítéstudományi Szemle 6, 6, 247-258, June 1956. *Stewart*

VAM

HEVIAZ, GY.

Tubular scaffoldings for bridge construction. p. 287. Vol. 19, No. 1/3, 1956. KOZLEMENEI. Budapest, Hungary.

SOURCE: East European List, (EEAL) Library of Congress Vol, 6, No. 1 January 1956.

WILL, NY.

Posttensioned-concrete beams with nonbonded steel. In German. p. 115.

ACTA TECHNICA. (Magyar Tudományos Akadémia) Budapest, Hungary.  
Vol. 26, no. 1/2, 1959.

Monthly List of East European Accessions (EMAI) LC, Vol. 28, no. <sup>12</sup>~~17~~, 1959.

HAVIAR, Gyozo, dr., okleveles mernok, a muszaki tudomanyok doktora,  
muegyetemi meghivott eloado

The 120th anniversary of the birth of Antal Kherndl and Janos  
Feketehazi Melyepitestud szemle 12 no.11:481-485 N '62.

HAVIAR, Gyozo.

"Paradoxical construction" by [Dr.] Gyozo Havliar, [?]  
János Földes. Reviewed by Gyozo Havliar. Muszaki közl. HÉ  
34 no.44:56-57 '65.

HAVIAR, V.

DUCHON, J.; HAVIAR, V.; HEFKA, O.

Catheterization of the heart. Bratisl.lsk. listy Suppl. 1 Vol.30:  
17-19 1950. (CLML 19:4)

1. Of the Second Internal Clinic of Slovak University in Bratislava.



HAVIAR, V.; LIPTAK, O.

Treatment of neurocirculatory dystonia and working ability. Bratisl.  
lek. listy 30:6-7, June-July 50. p. 507-13

1. Of the Second Internal Clinic of Slovak University in  
Bratislava.

CLML 20, 3, March 1951

HAVIAR, V.

Pyribenzamine treatment of bronchial asthma. Bratisl. lek. listy.  
30 no.8-10:673-679 Aug-Oct 50. (CML 20:4)

1. Of the Second Internal Clinic of the Medical Faculty of Slovak  
University, Bratislava.

HAVIAR V

HAVIAR V., DUCHON J., HEFKA O.

~~-----~~  
Vplyv digitalisu na tlak krvi v pravej predsieni. /Effect of  
digitalis on the blood pressure in the right atrium/ Bratisl.  
lek. listy 31,1-2 1951 p. 89-94.

1. Of the Second Internal Clinic of the Medical Faculty of  
Slovak University, Bratislava.

CLML 20, 10, Oct. 51

11/11/11  
DUCHON, J.; HAVIAR, V.; HREPKA, O.

Effect of work on blood pressure in the right auricle. Bratisl.  
lek. listy 33 no.8:555-559 1953. (GIML 25:5)

1. Of the Second Internal Clinic, Bratislava.

HAVIAR, V.; DZURIK, R.

Vegetative dystonias in unipolar electrocardiographic leads.  
Bratisl. lek. listy 34 no.9:1011-1020 Sept 54.

1. Z II. int. klin. LFSU v Bratislave, prednosta doc. dr. V.Haviar.  
(ELECTROCARDIOGRAPHY, in various diseases,  
autonomic NS dis.)  
(AUTONOMIC NERVOUS SYSTEM, diseases,  
ECG)

HAVIAR, VI.

EXCERPTA MEDICA Sec.18 Vol.1/8 Cardiovascular Aug 57

2371. HAVIAR VI, SISKÁ K. and KLEIN Fr. 2. Med. Klin., 2. Chir. Klin., Pathol.-Anat. Inst., Komenský Univ., Bratislava. Über eine mit Erfolg operierte Herzgeschwulst von interessantem feingeweblichem Aufbau *Successful surgery of a cardiac tumour (fibrolipoleiomyoma)* Cardiologia (Basel) 1956, 29/2 (132—142) Illus. 1

In a 37-year-old man a mixed tumour of the heart was diagnosed before operation. It proved to be a fibrolipoleiomyoma, the myomatous part being most probably derived from blood vessels. The cystic portions of the tumour are regarded as lymphatics and structures resembling lymphangendotheliomata. (VI, 5, 18)

EXCERPTA MEDICA Sec 18 Vol 3/8 Cardio. Dis. Aug 59

2229. Results of surgical treatment of mitral stenosis Vysledky chirurgickej lieby mitralnej stenózy. HAVIAR V., SISKÁ K., HUBKA M. and KUNA O. II Intern. Klin., Lek. Fak., Univ. Komenského, Bratislava *Bratisl. lek. Listy* 1958, 38 (II) 5 (273--282) Tables 7

Out of 102 patients pure commissurolysis was performed in 84. The direct mortality in the group with commissurolysis was 10.7%. Four patients died from cerebral embolism (4.7%), 2 from diarrhoea and one patient from hyperpyrexia. Forty-six patients were evaluated as control. Based on subjective as well as objective criteria of the evaluation, it is evident that the operation upon the mitral valve for mitral stenosis proved to be effective, and represents a contribution to the treatment of the disease. A helpful factor in the follow-up of results of operation is the postoperative control of weight of the patients. The values of erythrocytes, haemoglobin, haematocrit and of proteinaemia convincingly demonstrate the favourable effect of the operation on the general metabolic processes. A correlation between the type of anatomical lesion of the valve and the functional result following operation was not confirmed. A significant drop of the sedimentation rate of erythrocytes following tonsillectomy justifies the requirement of preoperative removal of foci. Complications during the postoperative course can substantially influence the general state of the patient, and often do not allow a satisfactory evaluation of the result of operation. (XVIII, 9)

HAVIAR, V.

Metabolism in myocardial insufficiency. Cas. lek. cesk. 97 no.37:1153-1158 12 Sept 58.

1. II. interna klinika v Bratislave, prednosta prof. Dr. Vl. Haviar.  
(CONGESTIVE HEART FAILURE, metab.  
biochem. (Ca))



EXOTISTA MEDICA Sec 9 Vol 13/10 Surgery Oct. 59

5901. RESULTS OF SURGICAL TREATMENT OF MITRAL STENOSIS - Výsledky chirurgickej liečby mitrálny stenózy - Haviar V., Šiška K., Hubka M. and Kuna O. II. Intern. Klin. Lek. Fak. Univ. Komenského, Bratislava - BRATISL. LEK. LISTY 1958, 38(II)/5 (273-282) Tables 7

Out of 102 patients pure commissurolysis was performed in 84. The direct mortality in the group with commissurolysis was 10.7%. Four patients died from cerebral embolism (4.7%), 2 from diarrhoea and one patient from hyperpyrexia. Forty-six patients were evaluated as controls. Based on subjective as well as objective criteria of the evaluation, it is evident that the operation upon the mitral valve for mitral stenosis proved to be effective, and represents a contribution to the treatment of the disease. A helpful factor in the follow-up of results of operation is the postoperative control of weight of the patients. The values of erythrocytes, haemoglobin, haematocrit and of proteinaemia convincingly demonstrate the favourable effect of the operation on the general metabolic processes. A correlation between the type of anatomical lesion of the valve and the functional result following operation was not confirmed. A significant drop of the sedimentation rate of erythrocytes following tonsillectomy justifies the requirement of preoperative removal of foci. Complications during the postoperative course can substantially influence the general state of the patient, and often do not allow a satisfactory evaluation of the result of operation.

( XVIII, 9)

HAVIAR, Vladimir

Certain new aspects of the problem of myocarditis. Cas.lek.cesk.  
99 no.20/21:647-650 20 My '60.

1. II. interna klinika UK v Bratislave, prednosta prof. dr.  
Vladimir Haviar.  
(MYOCARDITIS)

HAVIAR, V., MD

Czechoslovakia

Second Internal Medicine Clinic of the Medical  
Faculty UK -- Bratislava (II. Interni Klinika  
Lekárskej fakulty UK -- Bratislava); Head:  
V. HAVIAR, Prof. MD

Bratislava

~~Prague~~, Lekársky Obzor, No 12, 1962, pp 683-691

"Actual Problems of Pulmonary Hypertension."

HAVIAR, V., MUDr.; MAYER, R.

Early activity in patients with myocardial infarction. Bratisl.  
lek. listy 45 no. 8: 486-491 30 Apr '65

1. II. interna klinika Lekarske fakulty Univerzity Komenskeho  
v Bratislave (vedici: prof. MUDr. V. Haviar).